


Fabric Program III

GENESIS


GS502

JADE

PIXEL

PX533

FRESH

TITANIUM

TM502

ALOE

FLEX

FX501

LIME



GS404

ATMOSPHERE



PX430

POND



TM402

EGYPTIAN



FX402

DENIM



GS310

CAYENNE



PX731

FIREPLACE



TM703

PUMPKIN



FX701

CLEMENTINE



GS306

LIPSTICK



PX331

LADYBUG




TM302

RASPBERRY



FX302

FIRE



GS813

CINDER



PX133

SISAL



TM103

MESA



FX103

WHEAT



GS802

MOONWALK




PX832

SILVER



TM806

FLANNEL



FX802

SEAL



GS903

FLINT



PX901

PANTHER



TM901

RAVEN



FX901





LIMOUSINE

While every effort is made to present as accurate reproduction as possible, colors on actual products may vary slightly from digital reproductions.

Genesis**Pixel****Titanium****Flex****SPECIFICATIONS**

Style	52481	60258	60420	60411
Contents	55%Post consumer recycled polyester 45%Polyester	65%Post consumer recycled polyester 35%Polyester	65%Post consumer recycled polyester 35%Polyester	60%Post consumer recycled polyester 40%Polyester
Weight	13 oz./linear yd.	10 oz./linear yd.	10 oz./linear yd.	8 oz./linear yd.
Width	54"	54"	54"	54"
Backing	Acrylic	Acrylic	Acrylic	Acrylic
Finish	Greenshield Stain Repellent	Greenshield Stain Repellent	Greenshield Stain Repellent	Greenshield Stain Repellent
Cleaning Code	WS	WS	WS	WS

PERFORMANCE

 Abrasion Resistance* ASTM D-4157	100 000+ Double Rubs	90 000+ Double Rubs	120 000+ Double Rubs	100 000+ Double Rubs
 Pilling Resistance ASTM D-3511	Class 5	Class 5	Class 5	Class 5
 Colourfastness to Light AATCC 16-A	L4-5 min 40 hrs	L5 min 40 hrs	L5 min 40 hrs	L5 min 40 hrs
 Colorfastness to Crocking AATCC 8	Class 4.5-dry Class 5-wet	Class 5-dry Class 5-wet	Class 5-dry Class 5-wet	Class 5-dry Class 5-wet

FLAMMABILITY

 State of Calif. Tech Bulletin 117:2013	Passes	Passes	Passes	Passes
---	--------	--------	--------	--------

*Multiple factors affect fabric durability and appearance retention, including end-user application and proper maintenance. Wyzenbeek results about 100,000 double rubs have not been shown to be an indicator of increased lifespan.

The Greenleaf logo is a trademark of Geo. Sheard Fabrics and designates fabrics containing post-consumer recycled polyester made from recycled plastic bottles which are diverted from landfills. The recycling of polyester reduces the environmental footprint left from processing petroleum products into virgin polyester. The ensuing reduction in the energy required for the manufacturing process results in lower emissions levels and less waste.

Dyelots may vary slightly from samples shown.

While every effort is made to present as accurate reproduction as possible, colors on actual products may vary slightly from digital reproductions.