


Fabric Flex

Fabric Card

FLEX FABRIC

Fabric Card

While every effort is made to present as accurate reproduction as possible, colors on actual products may vary slightly from digital reproductions.



NOTE: We do not guarantee matches and recommend you examine a sample prior to excepting a color match.



NR

ISO 9001 certified



ameriGREEN STRATEGIES

Borgo Contract Seating 324 Carlingview Drive Toronto, Ontario M9W 5G5 www.borgo.com | sales@borgo.com | T. 416 679.8133 | Toll Free. 1 888 312.6746

FLEX FABRIC

Fabric Card

SPECIFICATIONS	
Style:	60411
Contents:	60% Post Consumer Recycled Polyester, 40% Polyester
Weight:	8 oz./linear yd.
Width:	54"
Backing:	Acrylic
Finish:	Greenshield Stain Repellent
Cleaning Code:	WS

PERFORMANCE		
Abraison Resistance*	100 000+	
ASTM D-4157	Double Rubs	
Pilling Resistance ASTM D-3511	Class 5	
Colourfastness to Light	L5	
AATCC 16-A	min 40 hrs	
Colorfastness to Crocking	Class 5-dry	
AATCC 8	Class 5-wet	

FLAMMABILITY

State of Calif. Tech Bulletin Passes 117:2013

*Multiple factors affect fabric durability and appearance retention, including end-user application and proper maintenance. Wyzenbeek results about 100,000 double rubs have not been shown to be an indicator of increased lifespan.

The Greenleaf logo is a trademark of Geo. Sheard Fabrics and designates fabrics containing post-consumer recycled polyester made from recycled plastic bottles which are diverted from landfills. The recycling of polyester reduces the environmental footprint left from processing petroleum products into virgin polyester. The ensuing reduction in the energy required for the manufacturing process results in lower emissions levels and less waste.

Dyelots may vary slightly from samples shown.





Borgo Contract Seating 324 Carlingview Drive Toronto, Ontario M9W 5G5 www.borgo.com | sales@borgo.com | T. 416 679.8133 | Toll Free. 1 888 312.6746