

## Guilford of Maine

Fabric **Excerpt** 

## **EXCERPT FABRIC**

Fabric Card

While every effort is made to present as accurate reproduction as possible, colors on actual products may vary slightly from digital reproductions.



NOTE: We do not guarantee matches and recommend you examine a sample prior to excepting a color match.







ISO 14001 certified





## **EXCERPT FABRIC**

Fabric Card

SPECIFICATIONS	
Style:	9532/9533
Contents:	78% Pre-Consumer Recycled Polyester, 22% Post-Consumer Recycled Polyester
Weight:	12.9 ± 1.0 oz./lin. yd.
Width:	54" min. useable
Backing:	Acrylic Backcoating
Treatment:	BLOCKaide® Stain Repellent
Repeat:	2.75" vertical 4.75" horizontal
Cleaning Code:	Standard Care Label W-S. Clean with water based cleaning agents, foam or pure, water free solvents. Vacuuming or light brushing is recommended to prevent dust and soil buildup. May also be disinfected with hydrogen peroxide, alcohol, and quaternary ammonium (quat) based cleaners
	Bleach Cleanable - May be cleaned with a 10% bleach-to-water solution. Rinse well after cleaning. May also be disinfected with hydrogen peroxide, alcohol, and quaternary ammonium (quat) based cleaners.
PERFORMANCE	
Abraison Resistance* ASTM D-4157	100,000 double rubs cotton duck
Pilling Resistance ASTM D-3511	Class 4 min.
Colourfastness to Light AATCC 16-A	Grade 4 min. at 40 hours
Colorfastness to Crocking AATCC 8	Grade 4 min. dry & Grade 3 min. wet

## **FLAMMABILITY**

CA Technical Bulletin 117-2013 Section 1













© Borgo Contract Seating - December 16, 2020 9:47 AM