




Mayer Fabrics

Fabric  
**Caressa**

# CARESSA FABRIC

Fabric Card

While every effort is made to present as accurate reproduction as possible, colors on actual products may vary slightly from digital reproductions.



NOTE: We do not guarantee matches and recommend you examine a sample prior to accepting a color match.



ISO 9001  
certified

ISO 14001  
certified




Borgo Contract Seating  
324 Carlingview Drive Toronto, Ontario M9W 5G5  
[www.borgo.com](http://www.borgo.com) | [sales@borgo.com](mailto:sales@borgo.com) | T. 416 679.8133 | Toll Free. 1 888 312.6746

© Borgo Contract Seating - September 16, 2021 12:09 PM

# CARESSA FABRIC

Fabric Card

While every effort is made to present as accurate reproduction as possible, colors on actual products may vary slightly from digital reproductions.



NOTE: We do not guarantee matches and recommend you examine a sample prior to accepting a color match.



ISO 9001  
certified

ISO 14001  
certified



Borgo Contract Seating  
324 Carlingview Drive Toronto, Ontario M9W 5G5  
[www.borgo.com](http://www.borgo.com) | [sales@borgo.com](mailto:sales@borgo.com) | T. 416 679.8133 | Toll Free. 1 888 312.6746

© Borgo Contract Seating - September 16, 2021 12:09 PM

# CARESSA FABRIC

Fabric Card

## TECHNICAL INFORMATION

Content: 80% Vinyl - Phthalate Free Face, 20% Polyester Backing	Backing: 100% Polyester	Visual Repeat: None
Width: 54"	Finish: Soil and Stain Resistant Top Coat with Ink Resistant Technology	Directionality: False
Weight: 29 oz./linear yard	Cleaning Code: CFC, BC	Shown RR: False

## PERFORMANCE

Surface Abrasion: Heavy Duty	Passes 650,000 Double Rubs (Wyzenbeek)
Breaking Strength:	Warp: 115.0 lbs. / Fill: 102.0 lbs.
Seam Slippage:	Warp: 53.0 lbs. / Fill: 50.0 lbs.
Colorfastness to Crocking:	Dry: Class 4 min / Wet: Class 4 min
Colourfastness to Light:	1000 hours

## FLAMMABILITY

Passes Cal 117-2013; NFPA 260/UFAC Class 1; ASTM E84 Class 1 or A; Boston Fire Dept. Code (BFD IX-1); FMVSS 302; IMO A.652 (16) 8.2 & 8.3; IMO FTP 2010 Code MSC.307(88), Part 8, 3.1 & 3.2; NY/NJ Port Authority

## CLEANING

CFC: Coated Fabrics Cleaning - Please refer to cleaning information section on Mayer website for complete cleaning info.

BC: Bleach Cleanable - 1 parts bleach, 9 parts water = 10% bleach, 90% water solution. Do not clean / disinfect fabric for longer than 10 minutes using the 10% bleach solution. Always rinse promptly with clean water after applying the bleach solution. Failure to do so will void any and all warranties.



ISO 9001  
certified

ISO 14001  
certified



Borgo Contract Seating

324 Carlingview Drive Toronto, Ontario M9W 5G5  
[www.borgo.com](http://www.borgo.com) | [sales@borgo.com](mailto:sales@borgo.com) | T. 416 679.8133 | Toll Free. 1 888 312.6746

© Borgo Contract Seating - September 16, 2021 12:09 PM