




# Fabric **Gravity**

## **GRAVITY FABRIC**

Fabric Card

While every effort is made to present as accurate reproduction as possible, colors on actual products may vary slightly from digital reproductions.



NOTE: We do not guarantee matches and recommend you examine a sample prior to excepting a color match.













## **GRAVITY FABRIC**

Fabric Card

TECHNICAL INFORMATION		
Content: 87% Polyester, 13% Graffiti-Free Tekloom TPE	Backing: Polyester	Visual Repeat: Non-Matching
Width: 54"	Finish: WRITE AWAY® - Soil and Stain Resistant Top Coat with Ink Resistant Technology	Directionality: N/A
Weight: 16 oz./linear yard	Cleaning Code: WS, CFC	Shown RR: N/A

PERFORMANCE		
Surface Abrasion: Heavy Duty	Exceeds 1,000,000 Double Rubs (Wyzenbeek)	
Breaking Strength:	Warp: 321.0 lbs. / Fill: 270.1 lbs.	
Seam Slippage:	Warp: 74.5 lbs. / Fill: 60.5 lbs.	
Colorfastness to Crocking:	Dry: Class 4 min / Wet: Class 4 min	
Colourfastness to Light:	40 hours	

#### **FLAMMABILITY**

Passes Cal 117-2013; NFPA 260/UFAC Class 1; IMO A.652(16) 8.2

### **CLEANING**

WS: Water/Solvent Cleaner - Spot clean with a mild solvent, an upholstery shampoo, or the foam from a mild detergent. When using a solvent or dry cleaning product, follow instructions carefully and clean only in a well-ventilated room. Avoid any product that contains carbon tetrachloride or other toxic materials. With either method, pretest a small area before proceeding. Always rinse promptly with clean water.

CFC: Coated Fabrics Cleaning - Please refer to cleaning information section on Mayer website for complete cleaning info.











