


Vinyl Key Largo

Fabric Card

KEY LARGO VINYL

Fabric Card

While every effort is made to present as accurate reproduction as possible, colors on actual products may vary slightly from digital reproductions.



NOTE: We do not guarantee matches and recommend you examine a sample prior to excepting a color match.



Borgo Contract Seating 324 Carlingview Drive Toronto, Ontario M9W 5G5 www.borgo.com | sales@borgo.com | T. 416 679.8133 | Toll Free. 1 888 312.6746

ISO 14001

certified

ISO 9001

certified

MRL

© Borgo Contract Seating - February 24, 2021 1:37 PM

amerigreen

STRATEGIES

KEY LARGO VINYL

Fabric Card

TECHNICAL INFORMATION

Borgo Seating Coordinates

| Pattern 54" | Content and Backing | Certifications | Weight∕ Linear Yd. | Pattern Repeat | Finish | Abrasion Wyzenbeek | Light- Fastness | Flammability | Cleaning Code |
|--------------------------|--|----------------|-----------------------|-------------------|---|-------------------------|--------------------|--|------------------|
| KEY LARGO Directional | 86% Vinyl Phthalate Free face, 14% Polyester backing | GREENGUARD | 28 oz. | None | Soil & Stain Resistant Top Coat with Ink Resistant Technology | 250,000^ Double Rubs | 650 hours | Cal. 117-2013 NFPA 260/UFAC Class 1 BIFMA CS-191-53, Section 3 & 4 FMVSS 302 IMO FTP 2010 Part 8, 3.13.2 | WS, BC, CFC |

REDUCED ENVIRONMENTAL IMPACT

These products are GREENGUARD or GREENGUARD Gold Certified for low chemical and particle emissions to UL standard UL 2818 and may contribute to LEED certification. For complete information visit mayerfabrics.com and UL.com/gg.

Key Largo

Phthalate Free Lead/Heavy Metal Free Tris Free Does not contain conflict minerals Phthalate and Lead Free to meet CPSC/CPSIA (children's products) environmental and health standards.

CARE AND CLEANING INFORMATION

CFC: Coated Fabrics Cleaning – Refer to Mayer website for complete cleaning info.

WS: Water/Solvent Cleaner

BC: Bleach Cleanable – 1 part bleach, 9 parts water = 10% bleach, 90% water solution. Do not clean/disinfect fabric for longer than 10 minutes using the 10% bleach solution. Always rinse promptly with clean water after applying the bleach solution. Failure to do so will void any and all warranties.

ADDITIONAL INFORMATION

CAL TB 133: All patterns may comply with California Technical Bulletin 133 when combined with appropriate components.

^A**Abrasion:** Multiple factors affect fabric durability and appearance retention, including end-user application and proper maintenance. Wyzenbeek results above 100,000 double rubs have not been shown to be a reliable indicator of increased fabric lifespan.

Custom Capabilities: All patterns can be custom colored. Minimum yardage applies.

Digital Swatch Card Color Matching: Due to color variations on different monitors and color printers, actual swatch colors may vary slightly. Please request a memo sample from Mayer Fabrics to ensure proper color representation.

Specifications: Specifications are correct at the time of printing. Additional specifications are available on our website.



These fabrics meet or exceed these ACT performance guidelines. *Certification Marks owned by ACT®





ISO 9001 certified



Borgo Contract Seating 324 Carlingview Drive Toronto, Ontario M9W 5G5 www.borgo.com | sales@borgo.com | T. 416 679.8133 | Toll Free. 1 888 312.6746

ISO 14001

certified